



ATCINT eutectic system for every truck body length.

Because every delivery situation is different, it is important to properly match a eutectic unit to the truck body length and the distribution habits of the vehicle being equipped. The following table is a guide to assist in that process. You will want to determine a selection decision with your O.E.M. or body builder. And, as always, you may want to consult your **ATCINT**.

Eutectic Plate (-33°C) Selection Guide

+30°C ambient				
Box internal volume m ³	K factor W/m ² °C	n° plates		Selected condenser HP
		3 op. dr./hr.	4 op. dr./hr.	
4	0.29	2	2	2
4	0.35	2	2	
5	0.29	2	2	
5	0.35	2	3	
6	0.29	2	3	3
6	0.35	3	3	
7	0.29	3	3	
7	0.35	3	3	
8	0.29	3	4	4
8	0.35	3	4	
9	0.29	3	4	
9	0.35	4	4	
10	0.29	4	4	4
10	0.35	4	5	
11	0.29	4	5	
11	0.35	4	5	
12	0.29	4	5	5
12	0.35	5	5	
13	0.29	5	5	
13	0.35	5	6	
14	0.29	5	6	5
14	0.35	5	6	
15	0.29	5	6	
15	0.35	6	7	
16	0.29	5	7	5
16	0.35	6	7	
17	0.29	6	7	
17	0.35	6	7	
18	0.29	6	7	Special Application (To be Consulted)
18	0.35	7	8	
19	0.29	6	8	
19	0.35	7	8	
20	0.29	7	8	Special Application (To be Consulted)
20	0.35	7	9	

+38°C ambient				
Box internal volume m ³	K factor W/m ² °C	n° plates		Selected condenser HP
		3 op. dr./hr.	4 op. dr./hr.	
4	0.29	2	3	2
4	0.35	2	3	
5	0.29	3	3	
5	0.35	3	3	
6	0.29	3	4	3
6	0.35	3	4	
7	0.29	3	4	
7	0.35	4	4	
8	0.29	4	5	4
8	0.35	4	5	
9	0.29	4	5	
9	0.35	5	6	
10	0.29	5	6	4
10	0.35	5	6	
11	0.29	5	6	
11	0.35	6	7	
12	0.29	6	7	5
12	0.35	6	7	
13	0.29	6	7	
13	0.35	6	8	
14	0.29	6	8	5
14	0.35	7	8	
15	0.29	7	8	
15	0.35	7	9	
16	0.29	7	9	5
16	0.35	8	9	
17	0.29	8	9	
17	0.35	8	10	
18	0.29	8	10	Special Application (To be Consulted)
18	0.35	9	10	
19	0.29	8	10	
19	0.35	9	11	
20	0.29	9	11	Special Application (To be Consulted)
20	0.35	9	11	

References:

A: 1 plate (-33°C): 1740 x 690 x 52 mm* **B:** R-404A refrigerant

Plate Surface: 2.55 m² holdover 3000 kcal



Service Parts and Accessories

Now, you can get the parts, accessories and services you need, where you need them, when you need them, quicker and more efficiently than ever. Recognised as the industry leader, **ATCINT** understands the importance of immediate parts availability and quality service performance. That's why we are expanding our aftermarket product line and increasing our service offerings. Our goal is to provide you with the total solutions package to keep your units operating for longer, with less down time.



Roll containers



Eutectic plates



Door lock systems



Compressors - Condensers - Fan - Selenoid Valves



Eutectic®

T : +90 322 459 0660

F : +90 322 428 6598

M : +90 532 5806723

Skype atcint.turkey

Whatsapp Wiber +90 532 5806723



BEVERAGE | FROZEN FOOD | HOME DELIVERY | ICE CREAM

MEAT AND SEAFOOD | PHARMACEUTICAL | RETAIL GROCERY | VENDING



Refrigerated Truck Bodies